



S.S.
F

02-21-03

10065866-021803
03C0
#2

Attorney Docket No. 129716

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION OF:)
)
Muthuvelan Varadharajulu et al.)
)
SERIAL NO.: 10/065,866)
)
FILED: November 26, 2002)
)
FOR: Grouted Tilted Patient Positioning Table for)
Vascular Applications)
)


EXPRESS MAIL NO. EV 141772130 US
DATE: February 18, 2003

COMPLETION OF FILING REQUIREMENTS

Commissioner for Patents
Box Corrected Application Papers
Washington, D.C. 20231

Dear Sirs:

This replies to the office letter dated December 18, 2002. A copy of the Notice to File Corrected Application Papers-Filing Date Granted is enclosed. The drawings filed with the application were deemed unacceptable. Formal drawings with heavier line quality and text are enclosed.



AUTHORIZATION TO CHARGE ADDITIONAL FEES

The Commissioner is hereby authorized to charge any additional filing fees which may be required for this application, or credit any overpayment, to Account No. 13-0017.

Date: February 18, 2003

By: Christopher N. George
Christopher N. George
Reg. No. 51,728
Attorney for Applicants

MCANDREWS, HELD & MALLOY, LTD.
500 W. Madison, 34th Floor
Chicago, IL 60661
(312) 775-8000

Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/065,866	11/26/2002	Muthuvelan Varadharajulu	129716

CONFIRMATION NO. 3390

FORMALITIES LETTER



OC000000009256556

23446
MCANDREWS HELD & MALLOY, LTD
500 WEST MADISON STREET
SUITE 3400
CHICAGO, IL 60661

Date Mailed: 12/18/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1)); See Figure(s) 3,6.

*A copy of this notice **MUST** be returned with the reply.*

Y. G.

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE